

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

EAST SEARCH

6/22/04

L#	Hits	Search String	Databases
L1	35014	CAD or "computer aided design"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L2	9059	(automated near2 inspection) or ("coordinate measuring" near2 machine\$1) or ((robotic or me	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L3	12321	((sensor\$3 or inspect\$3) near2 surface\$1) with (part\$1 or component\$1 or object\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L4	343	2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L5	56	1 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L6	625	(automated or automatic\$4 or "CAD guided") with (sensor near2 (planning or positioning or lo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L7	4	(automated or "CAD guided") with (sensor near2 (planning))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L8	53	(automated or "CAD guided") with (sensor near2 (location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L9	2	4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L10	21	2 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L11	11	3 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L12	47	5 and (sensor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L13	13	4 and ((CAD or "computer aided design") with surface\$1 with model\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L14	19	4 and ((camera or sensor\$1) near2 model\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L15	4	4 and ((CAD or "computer aided design") with (surface\$1 near2 model\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L16	32	4 and (surface with ((partition\$1 with triangle\$1) or triangulation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L17	69	surface with (partition\$1 with triangle\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L18	0	4 and (surface with (partition\$1 with triangle\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L19	6	4 and (surface with triangle\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L20	3	2 and (partition\$1 with (visible or visibility))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L21	13	1 and (partition\$1 with (visible or visibility))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L22	48	1 and (triangle\$1 with (visible or visibility))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L23	18	3 and (sensor with viewing with (position\$1 or orientation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L24	35	2 and (sensor with viewing with (position\$1 or orientation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L25	54	4 and ((normal or vector) with angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L26	10	(flat near2 patch\$2) with (partition\$1 or triangle\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L27	4	((flat near2 patch\$2) with surface) and ((bounding box) with surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L28	5	("bounding box") with "front face"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L29	4	(flat near2 patch\$2) with (project\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L30	9	(flat near2 patch\$2) with sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L31	115	((sensor near2 (position\$1 or location\$1)) with surface) and ((sensor near2 (position\$1 or loc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L32	23	(sensor near2 (position\$1 or location\$1)) with surface with resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L33	116	4 and ((camera or sensor\$1) with (visibility or resolution or (field near2 view) or "local length"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L34	31	5 and ((camera or sensor\$1) with (visibility or resolution or (field near2 view) or "local length"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L35	14	4 and "3D image"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
L36	5	4 and ((path or route) with planning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

L37	3	4 and (triangular with facets\$1)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L38	7	(automated or automatic\$4 or "CAD guided") with ((sensor or scanner or "viewing device") n	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L39	8	("bounding box") with facets\$1	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L40	5	("bounding box") with triangular	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L41	755	triangular with facets\$1	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L42	6	3 and 41	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L43	1	4 and 31	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L44	3	2 and 31	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB
L45	32	3 and 31	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB

EAST SEARCH

6/22/04

Results of search set L24:(CAD or "computer aided design") and (automated near2 inspection) or ("coordinate measuring" near2 machine\$1) or ((robotic or machine) near2 vision)) and (((sens\$3 or inspect\$3) near2 surface\$1) with

Document Kind Code	Title	Issue Date	Current OR
US 20040071316 A1	Method for image recognition in motor vehicles	20040415	382/103
US 20040057057 A1	Non-contact measurement system for large airfoils	20040325	356/1603
US 20040046736 A1	Novel man machine interfaces and applications	20040311	345/156
US 20030231793 A1	Scanning apparatus and method	20031218	382/154
US 2003012447 A1	Method and device for reduction in noise in images from shiny parts	20030619	356/603
US 20030048459 A1	Measurement system and method	20030313	356/620
US 20020169586 A1	Automated CAD guided sensor planning process	20021114	703/1
US 20020159073 A1	Range-image-based method and system for automatic sensor planning	20021031	356/603
US 20020131052 A1	Advanced phase shift inspection method	20020919	356/511
US 20020128790 A1	System and method of automated part evaluation including inspection, disposition recommendation and method for planning a tool path along a contoured surface	20020912	702/81
US 20020120359 A1	System and method for planning a tool path along a contoured surface	20020829	700/184
US 20020054702 A1	Automated photomask inspection apparatus	20020509	382/145
US 20020036617 A1	NOVEL MAN MACHINE INTERFACES AND APPLICATIONS	20020328	345/156
US 6751338 B1	System and method of using range image data with machine vision tools	20040615	382/106
US 6720949 B1	Man machine interfaces and applications	20040413	345/158
US 6678057 B2	Method and device for reduction in noise in images from shiny parts	20040113	356/603
US 6611617 B1	Scanning apparatus and method	20030826	382/154
US 6597967 B2	System and method for planning a tool path along a contoured surface	20030722	700/184
US 6594623 B1	Determining three-dimensional orientation of objects	20030715	703/1
US 6584218 B2	Automated photomask inspection apparatus	20030624	382/144
US 6522993 B1	Method and system for marking surface deviations on a three dimensional surface	20030218	702/150
US 6415191 B1	Intelligent machining and manufacturing	20020702	700/95
US 6363116 B1	Automated photomask inspection apparatus	20020326	382/144
US 6324289 B1	Object image search using sub-models	20011127	382/151

US 6282309 B1	Enhanced sensitivity automated photomask inspection system	20010828 382/145
US 6266138 B1	System and method for detecting defects in a surface of a workpiece	20010724 356/237.2
US 6259519 B1	Method of determining the planar inclination of a surface	20010710 356/139.03
US RE37030 E	Touch probe and signal processing circuit therefor	20010130 33/559
US 6167607 B1	Vision target based assembly	20010102 29/407.04
US 6166811 A	Robot-based gauging system for determining three-dimensional measurement data	20001226 356/602
US 6064759 A	Computer aided inspection machine	20000516 382/154
US 6056108 A	Impulse-based, flexible parts feeder	20000502 198/395
US 6052478 A	Automated photomask inspection apparatus	20000418 382/144
US 6026189 A	Method of recognizing objects within two-dimensional and three-dimensional images	20000215 382/226
US 6023680 A	Methods, apparatus and computer program products for automated visual inspection	20000208 705/7
US 6005966 A	Method and apparatus for multi-stream detection of high density metalization layers of multilayered structures	19991221 382/149
US 5982378 A	System and method for modeling a three dimensional object	19991109 345/582
US 5936628 A	Three-dimensional model processing method, and apparatus therefor	19990810 345/420
US 5917726 A	Intelligent machining and manufacturing	19990629 700/195
US 5910894 A	Sensor based assembly tooling improvements	19990608 700/195
US 5737072 A	Automated photomask inspection apparatus and method	19980407 356/73
US 5594768 A	Laminograph and inspection and repair device using the same	19970114 378/21
US 5572598 A	Automated photomask inspection apparatus	19961105 382/144
US 5563702 A	Automated photomask inspection apparatus and method	19961008 356/73
US 5473257 A	Feed rate measuring method and system	19951205 324/671
US 5465221 A	Automated process planning for quality control inspection	19951107 702/83
US 5380978 A	Method and apparatus for assembly of car bodies and other 3-dimensional objects	19950110 219/121.64
US 5378994 A	Non-contact capacitance based image sensing method and system	19950103 324/671
US 5281921 A	Non-contact capacitance based image sensing method and system	19940125 324/671
US 5231675 A	Sheet metal inspection system and apparatus	19930727 382/152
US 5118192 A	System for 3-D Inspection of objects	19920602 356/602
US 5030008 A	Method and apparatus for the automated analysis of three-dimensional objects	19910709 356/394
US 5023916 A	Method for inspecting the leads of electrical components on surface mount printed circuit boards	19910611 382/150
US 4918627 A	Computer integrated gaging system	19900417 702/82
US 4811410 A	Line-scan inspection system for circuit boards	19890307 382/147
US 4794550 A	Extended-range moire contouring	19881227 702/167



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

 Print Format

Your search matched **13** of **1046194** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Publication year in Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

'tool path' and planning

 Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

1 Part geometric understanding for tool path planning in additive manufacturing

Weihua Sheng; Ning Xi; Heping Chen; Yifan Chen; Mumin Song;
Computational Intelligence in Robotics and Automation, 2003. Proceedings. 2 IEEE International Symposium on , Volume: 3 , 16-20 July 2003
Pages:1515 - 1520 vol.3

[Abstract] [PDF Full-Text (507 KB)] IEEE CNF

2 Tool-path generation for NURBS surface machining

Sungchul Jee; Taehoon Koo;
American Control Conference, 2003. Proceedings of the 2003 , Volume: 3 , 4 June 2003
Pages:2614 - 2619 vol.3

[Abstract] [PDF Full-Text (624 KB)] IEEE CNF

3 Tying together design, process planning and machining with STEP-1 technology

Proctor, F.M.; Michaloski, J.L.; Shackleford, W.P.;
World Automation Congress, 2002. Proceedings of the 5th Biannual , Volume: 14 , 9-13 June 2002
Pages:33 - 38

[Abstract] [PDF Full-Text (512 KB)] IEEE CNF

4 An exact representation of effective cutting shapes of 5-axis CNC machining using rational Bezier and B-spline tool motions

Xia, J.; Ge, Q.J.;
Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE International

Conference on , Volume: 1 , 2001
Pages:342 - 347 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(564 KB\)\]](#) [IEEE CNF](#)

5 Surface slicing algorithm for rapid prototyping and machining

Cha-Soo Jun; Dong-Soo Kim; JiSeon Hwang; Tien-Chien Chang;
Geometric Modeling and Processing 2000. Theory and Applications.

Proceedings , 10-12 April 2000
Pages:373 - 382

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) [IEEE CNF](#)

6 Coordination control and deposition planning for improving deposit accuracy in layered manufacturing process

Wenbiao Han; Jafari, M.A.;
Systems, Man, and Cybernetics, 2000 IEEE International Conference on , Vol. 3 , 8-11 Oct. 2000
Pages:1709 - 1714 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) [IEEE CNF](#)

Rapid 3-D digitizing and tool path generation for complex shapes

Kwok, K.S.; Loucks, C.S.; Driessens, B.J.;
Robotics and Automation, 1998. Proceedings. 1998 IEEE International Conference , Volume: 4 , 16-20 May 1998
Pages:2789 - 2794 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(484 KB\)\]](#) [IEEE CNF](#)

8 A manufacturing system for automated production of polystyrene in

Viswanathan, A.; Jouaneh, M.; Datseris, P.; Palm, W.;
Robotics & Automation Magazine, IEEE , Volume: 3 , Issue: 3 , Sept. 1996
Pages:39 - 43

[\[Abstract\]](#) [\[PDF Full-Text \(832 KB\)\]](#) [IEEE JNL](#)

9 Surface modeling and robot path generation using self-organization

Varsta, M.; Koikkalainen, P.;
Pattern Recognition, 1996., Proceedings of the 13th International Conference on , Volume: 4 , 25-29 Aug. 1996
Pages:30 - 34 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(444 KB\)\]](#) [IEEE CNF](#)

10 System architecture and edge tracking performance of an automatic robotic deburring workcell

Rajagopalan, R.; Cheng, R.M.H.; Ayyadevara, V.R.; Huard, G.;
Intelligent Control, 1995., Proceedings of the 1995 IEEE International Symposium , 27-29 Aug. 1995
Pages:351 - 356

[\[Abstract\]](#) [\[PDF Full-Text \(552 KB\)\]](#) [IEEE CNF](#)

11 Automated digitization and geometric modelling of refurbished components for deburring

Temple-Raston, M.; Cheng, R.M.H.; Rajagopalan, R.;

Emerging Technologies and Factory Automation, 1994. ETFA '94., IEEE Symp on , 6-10 Nov. 1994

Pages:345 - 349

[\[Abstract\]](#) [\[PDF Full-Text \(288 KB\)\]](#) [IEEE CNF](#)

12 Tool-path verification using computer graphics

Yonghong Xue; Leybourne, A.E.;

TENCON '93. Proceedings. Computer, Communication, Control and Power Engineering.1993 IEEE Region 10 Conference on , Issue: 0 , 19-21 Oct. 1993

Pages:415 - 417 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(132 KB\)\]](#) [IEEE CNF](#)


13 Workholding-analysis and planning

Mishra, B.;

Intelligent Robots and Systems '91. 'Intelligence for Mechanical Systems, Proceedings IROS '91. IEEE/RSJ International Workshop on , 3-5 Nov. 1991

Pages:53 - 57 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(340 KB\)\]](#) [IEEE CNF](#)

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links****Welcome to IEEE Xplore®**

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

 [Print Format](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved